

UNITED STATES DISTRICT COURT  
MIDDLE DISTRICT OF LOUISIANA

U.S. DISTRICT COURT  
MIDDLE DISTRICT OF LOUISIANA  
FILED JUL - 3 1991  
C. LEE DUPUIS  
CLERK

IN RE: JAIL POPULATION  
ORLEANS PARISH

**SUPPLEMENTAL**

**STIPULATION AND CONSENT DECREE**

IT IS HEREBY AGREED AND STIPULATED that the maximum number of inmates which shall be housed in the Orleans Parish Jail shall be as follows:

Community Correctional Center

Total inmates: 1200

Breakdown as per attachment A

In Re: Jail Population, Orleans Parish

Fisk School



Total inmates: 182

Breakdown as per attachment B

Broad

Total inmates: 168

Breakdown as per attachment C

New Orleans, Louisiana, this 3rd day of July, 1991.

*Charles C. Foti, Jr.*  
CHARLES C. FOTI, JR.  
CRIMINAL SHERIFF, ORLEANS-PARISH

DKT. & ENTERED

7/5/91  
MAILED TO:  
7/5/91 (by fd)

*Matrice  
Sm JJJ*

X  
HEARING  
DOCUMENT 4689

  
ATTORNEY FOR SHERIFF FOTI


  
STATE FIRE MARSHAL

  
ATTORNEY FOR FIRE MARSHAL

Temp. Acting   
STATE HEALTH OFFICER

IT IS ORDERED that the foregoing stipulation be and it is hereby approved as the order of this Court.

Baton Rouge, Louisiana, July 3 1991.

  
UNITED STATES DISTRICT JUDGE

ATTACHMENT A BREAKDOWN OF INMATE POPULATION LIMITS:

COMMUNITY CORRECTIONAL CENTER

Community Correctional Center  
 2800 Gravier Street  
 New Orleans, Louisiana

3rd Floor:

Quad 1

Upper Tier	10 (2 men cells)	4 (men cells)	36 inmates
Lower Tier	10 (2 men cells)	4 (men cells)	<u>36 inmates</u>
			72

Quad 2

10 (2 men cells)	4 (men cells)	36 inmates
10 (2 men cells)	4 (men cells)	<u>36 inmates</u>
		72

Quad 3

10 (2 men cells)	4 (men cells)	36 inmates
10 (2 men cells)	4 men cells)	<u>36 inmates</u>
		72

Quad 4

10 (2 men cells)	4 (men cells)	36 inmates
10 (2 men cells)	4 (men cells)	<u>36 inmates</u>
		72

4th Floor:

Quad 1

Upper Tier	10 (2 men cells)	4 (men cells)	36 inmates
Lower Tier	10 (2 men cells)	4 (men cells)	<u>36 inmates</u>
			72

Quad 2

10 (2 men cells)	4 (men cells)	36 inmates
10 (2 men cells)	4 (men cells)	<u>36 inmates</u>
		72

Quad 3

10 (2 men cells)	4 (men cells)	36 inmates
10 (2 men cells)	4 (men cells)	<u>36 inmates</u>
		72

Quad 4

10 (2 men cells)	4 (men cells)	36 inmates
10 (2 men cells)	4 (men cells)	<u>36 inmates</u>
		72

5th Floor:

PLEASE PRINT.

PANISH Oakman OCCUPANCY CLASS 1 Detention CHAP - SECT 1973 FML DATE(S) OF INSPECTION 6-7-90 TIME 4:15

ADDRESS OF INSPECTOR (Street/City/State/Zip) 2800 Gravier Street TRADE NAME New Orleans County CCC

OWNER NOU 70114 ADDRESS OF OWNER (Street/City/State/Zip) 1300 Perdido Street

TELEPHONE NO. City of New Orleans

(A.C. 800-800)

CONSTRUCTION TYPE(S) (NFPA 220) II-200 STORIES 6


Complete AS  Complete SD  Tenant Suite  Shell  Annual  Partial AS  Partial SD  Complete Bldg.  Only  Completion

THE FOLLOWING ITEMS ARE IN VIOLATION OF THE FIRE CODE

<p><b>EXIT DETAILS</b></p> <p><input type="checkbox"/> 1. Numbers and Types</p> <p><input type="checkbox"/> 2. Capacity</p> <p><input type="checkbox"/> 3. Access, Discharge</p> <p><input type="checkbox"/> 4. Doors, Width and Swing</p> <p><input type="checkbox"/> 5. Stairs, Ramps</p> <p><input type="checkbox"/> 6. Horizontal Exits</p> <p><input type="checkbox"/> 7. Exitway Lighting</p> <p><input type="checkbox"/> 8. Travel Distance</p> <p><b>PROTECTION</b></p> <p><input type="checkbox"/> 9. Smoke Partitions</p> <p><input type="checkbox"/> 10. Construction Standards</p>	<p><input type="checkbox"/> 11. Openable Windows</p> <p><input type="checkbox"/> 12. Corridor Separation, Doors, Vision Panel</p> <p><input type="checkbox"/> 13. Vertical Separation and Fire Stopping</p> <p><input type="checkbox"/> 14. Interior Finish, Drapes, Furnishings Carpets, Wastebaskets</p> <p><input type="checkbox"/> 15. Alarm and Smoke Detection Systems</p> <p><input type="checkbox"/> 16. Sprinkler Systems</p> <p><input type="checkbox"/> 17. Portable and Fixed Fire Extinguishers</p> <p><input type="checkbox"/> 18. Hazardous Areas - Separation/Sprinklered</p> <p><input type="checkbox"/> 19. Laboratories</p> <p><input type="checkbox"/> 20. Emergency Lighting</p>	<p><b>BUILDING SERVICE EQUIPMENT</b></p> <p><input type="checkbox"/> 21. A/C and Heating</p> <p><input type="checkbox"/> 22. Cooking</p> <p><input type="checkbox"/> 23. Other, incl. elec./gas</p> <p><input type="checkbox"/> 24. Open Flame Devices</p> <p><b>OPERATING FEATURES</b></p> <p><input type="checkbox"/> 25. Evacuation Plan</p> <p><input type="checkbox"/> 26. Fire Procedures</p> <p><input type="checkbox"/> 27. Fire Drills</p> <p><input type="checkbox"/> 28. Smoking Regulations</p> <p><input type="checkbox"/> 29. Fire Lanes</p> <p><input type="checkbox"/> 30. Other - Specify in Remarks</p>
--	---	---

ITEM NO.	CODE SECTION	REMARKS	CORRECTION REQ. D. BY (Date)
		The following violations have not been corrected since last inspection	
# 15	55-17036	Fire and smoke alarm system not working	7-7-90
# 13	6-1011	Doors in middle stairway shall be 1 1/2" thick fire rated (present doors have 1 1/4" of glass) and glass in stairway doors shall have approved wired glass (present doors have plain glass)	7-7-90
		* During this inspection no one available to release cell by cell head count, only Total	
		Consent Door 1200	Tronati Cont 1102

to comply with any order issued by the Fire Marshal or his authorized representative, under any provision of Part III, Chapter 7, of Title 40 of the Statutes of 1950, R.S. 40:1569 excepted, shall be fined not more than one thousand dollars or imprisoned, with or without hard labor, one year or both. Each day's violation of an order constitutes a separate offense and may be punished as such at the discretion of the court.



TIME 11:00 INSPECTOR W. J. ...

OWNER/OCCUPANT COPY  
See Reverse Side for Appeal

COMMUNITY CORRECTIONAL CENTER  
page one of two

Warden (1)  
Watch Commander (1)  
Asst. Watch Commander (1)  
Command Desk (1)  
Asst. Command Desk (1)  
Information Desk (1)  
Commissary (2)  
Re-Hab (2)  
Sally Port (1)  
Basement Control (1)  
Barber (1)  
Inmate Uniform Maintenance (1)

SECOND FLOOR - MEDICAL SECURITY:

Forensic Unit C/O (1)  
Center Control (1)  
Ward 1 (1)  
Ward 2 (1)

3rd FLOOR DEPUTY ASSIGNMENT:

Quad 1 (1)  
Quad 2 (1)  
Quad 3 (1)  
Quad 4 (1)

4th FLOOR DEPUTY ASSIGNMENT:

Quad 1 (1)

Quad 2 (1)

Quad 3 (1)

Quad 4 (1)

5th FLOOR DEPUTY ASSIGNMENT:

Quad 1 (1)

Quad 2 (1)

Quad 3 (1)

Quad 4 (1)

6th FLOOR DEPUTY ASSIGNMENT:

Quad 1 (1)

Quad 2 (1)

Quad 3 (1)

Quad 4 (1)

ATTACHMENT B: BREAKDOWN OF INMATE POPULATION LIMITS:

FISK SCHOOL

DORM # 1	28
DORM # 2	28
DORM # 3	28
DORM # 4	24
DORM # 5	52
DORM # 6	22
TOTAL	<u>182</u>

This inspection is intended for your safety and the safety of the citizens of Louisiana. Your cooperation is greatly appreciated.  
**PLEASE PRINT.**

PARISH <i>Orleans</i>	OCCUPANCY CLASS <i>Detention</i>	CHAP - SECT <i>1973 - FML</i>	DATE(S) OF INSPECTION <i>6-8-90</i>	TIME <i>1:10</i>
ADDRESS OF INSPECTION (Street/City/State/Zip) <i>716 So. Random Street</i>		TRADE NAME <i>Fish World Release Center</i>		
OWNER <i>NOTE</i>		ADDRESS OF OWNER (Street/City/State/Zip) <i>1300 Perdido St.</i>		
TELEPHONE NO. <i>827-8911</i>	CITY OF NEW ORLEANS			
CONSTRUCTION TYPE(S) (NFPA 220) <i>V-0</i>	STORIES <i>1</i>	<input checked="" type="checkbox"/> Complete AS <input type="checkbox"/> Complete SD <input type="checkbox"/> Tenant Suite <input type="checkbox"/> Shell <input checked="" type="checkbox"/> Annual <input type="checkbox"/> Partial AS <input type="checkbox"/> Partial SD <input type="checkbox"/> Complete Bldg. <input type="checkbox"/> Only <input type="checkbox"/> Completion		

THE FOLLOWING ITEMS ARE IN VIOLATION OF THE FIRE CODE

<b>EXIT DETAILS</b> <input type="checkbox"/> 1. Numbers and Types <input type="checkbox"/> 2. Capacity <input type="checkbox"/> 3. Access, Discharge <input type="checkbox"/> 4. Doors, Width and Swing <input type="checkbox"/> 5. Stairs, Ramps <input type="checkbox"/> 6. Horizontal Exits <input type="checkbox"/> 7. Exitway Lighting <input type="checkbox"/> 8. Travel Distance  <b>PROTECTION</b> <input type="checkbox"/> 9. Smoke Partitions <input type="checkbox"/> 10. Construction Standards	<input type="checkbox"/> 11. Openable Windows <input type="checkbox"/> 12. Corridor Separation, Doors, Vision Panel <input type="checkbox"/> 13. Vertical Separation and Fire Stopping <input type="checkbox"/> 14. Interior Finish, Drapes, Furnishings Carpets, Wastebaskets <input checked="" type="checkbox"/> 15. Alarm and Smoke Detection Systems <input type="checkbox"/> 16. Sprinkler System <input type="checkbox"/> 17. Portable and Fixed Fire Extinguishers <input type="checkbox"/> 18. Hazardous Areas - Separation/Sprinkered <input type="checkbox"/> 19. Laboratories <input type="checkbox"/> 20. Emergency Lighting	<b>BUILDING SERVICE EQUIPMENT</b> <input type="checkbox"/> 21. AC and Heating <input type="checkbox"/> 22. Cooking <input type="checkbox"/> 23. Other, Incl. elec./gas <input type="checkbox"/> 24. Open Flame, Devices  <b>OPERATING FEATURES</b> <input type="checkbox"/> 25. Evacuation Plan <input type="checkbox"/> 26. Fire Procedures <input type="checkbox"/> 27. Fire Drills <input type="checkbox"/> 28. Smoking Regulations <input type="checkbox"/> 29. Fire Lanes <input type="checkbox"/> 30. Other - Specify in Remarks
---	--	--

ITEM NO.	CODE SECTION	REMARKS	CORRECTION REQ. D. BY (Date)
		<i>The following violations have not been corrected since last inspection</i>	
<i>15</i>	<i>7-2-157</i>	<i>Fire and smoke alarm not working. Alarm system shall sound fire alarm</i>	<i>7-8-90</i>
<i>20</i>		<i>Remove all conductive ladders from down stairs</i>	<i>7-8-90</i>
<p><i>* During this inspection no one available to check down by down Head unit only total *</i></p>			
		<i>Consent Decree 182 - Inmate Count 198</i>	

Whoever fails to comply with any order issued by the Fire Marshal or his authorized representative, under any provision of Part III, Chapter 7, of Title 40 of the Louisiana Revised Statutes of 1950, R.S. 40:1589 excepted, shall be fined not more than one thousand dollars or imprisoned, with or without hard labor, for not more than one year or both. Each day's violation of an order constitutes a separate offense and may be punished as such at the discretion of the court.

RECEIVED BY <i>[Signature]</i>	TIME <i>2:15</i>	INSPECTOR <i>Stephen Payne DWA # 32</i>
OWNER/OCCUPANT CORY See Reverse Side for Appeal		



## L.R.S. 40:1577 APPEAL FROM ORDER

When an order is made by one of the deputies or representatives of the Fire Marshal, the owner or occupant of the building or premises may, within three days, appeal to the Fire Marshal. The Fire Marshal shall, within five days, review the order and advise the owner or occupant of his decision thereon. The owner or occupant may, within five days after the making or affirming of any such order of the Fire Marshal, file an application with the Board of Review. . .

### RULES FOR APPEALING TO THE FIRE MARSHAL BOARD OF REVIEW

- I. Any application to the Board of Review shall contain the following basic information set off in organized fashion with captions indicating that the paragraph in question contains the following basic information.
  1. The name of the applicant.
  2. A brief description of the facts.
  3. A copy of the order of the Fire Marshal which is being appealed.
  4. A reference to the section of the law or code being reviewed.
  5. A brief description of why the applicant feels the requirements of the Fire Marshal is not within the Fire Marshal's authority, or brief description of why the interpretation of the Fire Marshal is incorrect, or what specific relief is required by the applicant.
  6. A list of the individuals who will be appearing before the Board, and a brief description of the testimony or information they will be providing the Board.
  7. A list of all the documents which will be introduced or provided to the Board along with a brief description of the documents, and if possible, a copy of said documents.
  8. A list of each exhibit except for documents, and a brief description of the exhibit.
- II. Whenever possible, a notice of the meeting, date and place and the agenda will be recorded in the Louisiana Register, however, whenever that is not possible, a copy of the meeting notice including the date, time and place and agenda of the meeting of the Board will be published in the official notices of the official state journal; furthermore, a press release containing the same information will be mailed to the official journals of the cities of Shreveport, Monroe, Lafayette, Lake Charles, Alexandria, New Orleans, and Baton Rouge and any city or town in which the meeting of the Board is to be held if it is not one of the aforementioned major cities; and the same information shall be mailed to each individual who has notified the Fire Marshal of his desire to receive a notice of such appeal.
- III. A copy of the determination of the Board as prepared by the Chairman will be mailed to each individual who requests a copy of that specific determination as well as to the applicant.
- IV. The time delays for filing an appeal shall be those specified in R.S. 40:1577 and 40:1578.1 D.

FISK SCHOOL WORK RELEASE

Director (1)

Watch Commander (1)

Asst. Watch Commander (1)

Drill Instructor (4)

ATTACHMENT C: BREAKDOWN OF INMATE POPULATION LIMITS:

BROAD

FIRST FLOOR	99
SECOND FLOOR	69
TOTAL	<hr/> 168

This inspection is intended for your safety and the safety of the citizens of Louisiana. Your cooperation is greatly appreciated.  
PLEASE PRINT.


PARISH <b>ORLEANS</b>	OCCUPANCY CLASS <b>Detention</b>	CHAP - SECT <b>1973-F.M.L.</b>	DATE(S) OF INSPECTION <b>6-8-90</b>	TIME <b>1115</b>
ADDRESS OF INSPECTION (Street/City/State/Zip) <b>225 South - BROAD ST. New Orleans, LA 70119</b>		TRADE NAME <b>BROAD STREET WORK Release Center</b>		
OWNER <b>City of New Orleans</b>		ADDRESS OF OWNER (Street/City/State/Zip) <b>1300 Perdido St. New Orleans, LA 70119</b>		
TELEPHONE NO. <b>(AGSOY) 827-8585</b>				
CONSTRUCTION TYPE(S) (NEPA 220) <b>III - (211)</b>	STORIES <b>2</b>	<input type="checkbox"/> Complete AS <input checked="" type="checkbox"/> Complete SD <input type="checkbox"/> Tenant Suite <input type="checkbox"/> Shell <input type="checkbox"/> Annual <input type="checkbox"/> Partial AS <input type="checkbox"/> Partial SD <input type="checkbox"/> Complete Bldg. <input type="checkbox"/> Only <input type="checkbox"/> Completion		

THE FOLLOWING ITEMS ARE IN VIOLATION OF THE FIRE CODE

- |  |   |  |
|--|---|--|
| <p><b>EXIT DETAILS</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> 1. Numbers and Types</li> <li><input type="checkbox"/> 2. Capacity</li> <li><input type="checkbox"/> 3. Access, Discharge</li> <li><input type="checkbox"/> 4. Doors, Width and Swing</li> <li><input type="checkbox"/> 5. Stairs, Ramps</li> <li><input type="checkbox"/> 6. Horizontal Exits</li> <li><input type="checkbox"/> 7. Exitway Lighting</li> <li><input type="checkbox"/> 8. Travel Distance</li> </ul> <p><b>PROTECTION</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> 9. Smoke Partitions</li> <li><input type="checkbox"/> 10. Construction Standards</li> </ul> | <ul style="list-style-type: none"> <li><input type="checkbox"/> 11. Openable Windows</li> <li><input type="checkbox"/> 12. Corridor Separation, Doors, Vision Panel</li> <li><input type="checkbox"/> 13. Vertical Separation and Fire Stopping</li> <li><input type="checkbox"/> 14. Interior Finish, Drapes, Furnishings<br/>Carpets, Wastebaskets</li> <li><input type="checkbox"/> 15. Alarm and Smoke Detection Systems</li> <li><input type="checkbox"/> 16. Sprinkler System</li> <li><input type="checkbox"/> 17. Portable and Fixed Fire Extinguishers</li> <li><input type="checkbox"/> 18. Hazardous Areas - Separation/Sprinklered</li> <li><input type="checkbox"/> 19. Laboratories</li> <li><input type="checkbox"/> 20. Emergency Lighting</li> </ul> | <p><b>BUILDING SERVICE EQUIPMENT</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> 21. A/C and Heating</li> <li><input type="checkbox"/> 22. Cooking</li> <li><input type="checkbox"/> 23. Other, Incl. elec./gas</li> <li><input type="checkbox"/> 24. Open Flame, Devices</li> </ul> <p><b>OPERATING FEATURES</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> 25. Evacuation Plan</li> <li><input type="checkbox"/> 26. Fire Procedures</li> <li><input type="checkbox"/> 27. Fire Drills</li> <li><input type="checkbox"/> 28. Smoking Regulations</li> <li><input type="checkbox"/> 29. Fire Lanes</li> <li><input type="checkbox"/> 30. Other - Specify in Remarks</li> </ul> |
|--|---|--|

ITEM NO.	CODE SECTION	REMARKS	CORRECTION REQ'D. BY (Date)
		COURT ORDER CONSENT DENIED	
		INMATE COURT 121	
6-1114		INTERIOR STAIRS shall be 1 HOUR FIRE RESISTIVE SEPARATION FROM OTHER PARTS OF THE BUILDING. All opening in ceiling OF 1 <sup>st</sup> FLOOR shall be protected with 1 HOUR FIRE RESISTIVE CURTAINING.	5-4-91
31-5.2		INMATE STORAGE ROOM OF PERSONAL CLOTHING shall separate from DORM AREA.	5-4-91
All other violations cited on 6-8-90 have been corrected, see attached copy.			

Whoever fails to comply with any order issued by the Fire Marshal or his authorized representative, under any provision of Part III, Chapter 7, of Title 40 of the Louisiana Revised Statutes of 1950, R.S. 40:1589 excepted, shall be fined not more than one thousand dollars or imprisoned, with or without hard labor, for not more than one year or both. Each day's violation of an order constitutes a separate offense and may be punished as such at the discretion of the court.

COPY RECEIVED BY  TIME 1200 INSPECTOR Robert Chaurin #87

BROAD WORK RELEASE

Major (1) -

Watch Commander (1)

Asst. Watch Commander (1)

1st Floor Dorm (2)

2nd Floor Dorm (1)